

**CONSENT ORDER NO. 1908120958737      DATED: 29/06/2019.**

**PROCEEDINGS NO.T2/TNPCB/F.0448GMP/RL/GMP/W/2019      DATED: 29/06/2019**

---

**SUB:** Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. INDIANOIL LNG PRIVATE LTD , S.F.No. 7/3B part of Kattupalli Village and 1 part of Puzhuthivakkam Village inside Kamarajar Port, KATTUPALLI village, Ponneri Taluk and Tiruvallur District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

**REF:** 1. Board Proceedings No. T2/TNPCB/F.0448GMP/RL//GMP/A&W/2019 Dated: 10/01/2019  
2. Unit's application on 02/03/2019 and resubmitted on 04/06/2019.  
3. DEE's IR.No : F.0448GMP/RL/AE/GMP/2019 dated 07/03/2019.

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Chief Executive Officer  
M/s.INDIANOIL LNG PRIVATE LTD,  
S.F.No. 7/3B part of Kattupalli Village and 1 part of Puzhuthivakkam Village inside Kamarajar Port,  
KATTUPALLI Village ,  
Ponneri Taluk ,  
Tiruvallur District .

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

**This RENEWAL OF CONSENT is valid for the period ending March 31, 2020**

**For Member Secretary,  
Tamil Nadu Pollution Control Board,  
Chennai**

### SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
<b>Product Details</b>			
1.	(1) Receipt of LNG through ships and unloading the same into storage tanks of capacity 2 x 1,80,000 Cubic meters. (2) Re-gasification facilities for converting LNG to gas. (3) Despatch of LNG through Road tankers.	5	MMTPA
2.	Captive Power Plant consisting of GEGs - 2 x 9.425 MW - Operating and 1 x 9.425 MW standby.( Regasified-LNG used as Fuel)	18.85	MW

2. This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
<b>Effluent Type : Sewage</b>			
1.	Sewage	3.96	On Industrys own land
<b>Effluent Type : Trade Effluent</b>			

**Additional Conditions:**

1. The unit shall treat and dispose the sewage generated through septic tank followed by soak pit arrangement.
2. The unit shall ensure that no trade effluent is generated from its activity under any circumstance.
3. The unit shall dispose solid waste if any scientifically then and there without any accumulation.
4. The unit shall apply and obtain authorization for handling hazardous waste under the provisions of Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016 within a month's time.
5. The unit shall adhere to the guidelines of Management, Storage and Import of Hazardous Chemicals Rules 1989 (MSIHC Rules 1989) as amended.
6. The unit shall comply with the conditions stipulated in the Environmental Clearances and CRZ clearance accorded by MOEF, GOI under EIA notification 2016 and CRZ notification 2011.
7. The unit shall not use 'use and throwaway plastics' such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated teacups plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, areca nut palmplate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc.

**For Member Secretary,  
Tamil Nadu Pollution Control Board,  
Chennai**

To  
The Chief Executive Officer,  
M/s.INDIANOIL LNG PRIVATE LTD,  
Ennore LNG Import, Storage & Regasification Terminal Project, Inside the Kamarajar Port, Vallur Post,  
Ponneri Taluk, Thiruvallur District,  
Pin: 600120

**Copy to:**

1. The Commissioner, MEENJUR-Panchayat Union, Ponneri Taluk, Tiruvallur District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, GUMMIDIPOONDI.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
4. File

-----